

SD One X

24" 36" 44"

**COMPACT
FLEXIBLE
FULL COLOR
SCAN UP TO E/A0**



ALL NEW!

COMPACT LARGE FORMAT SCANNER: FASTER, SMARTER, FULLY EQUIPPED



FADGI compliance. Together with Nextimage 7, SD One X exceeds FADGI 3-star compliance.

Exceptional value in a compact design

SD One X delivers speed, flexibility, and outstanding value in a lightweight 24", 36" or 44" format. User-friendly, with an integrated control panel for simple operation.

Efficient and cost-effective

An essential office scanner at a highly competitive price. Handle large-format maps, engineering, and construction drawings in-house to reduce costs, save time, and free up space.

Copy, share and collaborate

Designed for simplicity and precision, SD One X ensures reliable results, even on your most demanding projects.

Versatile document capture

Digitize architectural, engineering, and construction documents directly to your project folders in standard formats using Nextimage 7.

Powered by X-Rite®

The ICC color profile in Nextimage 7 is powered by X-Rite®.

Full color

SD One X supports full color scanning.

All popular file formats

Supports all popular scan file formats – like PDF, TIFF and JPEG.

Green

Energy Star® certified device.

Need to move the scanner about?

Don't worry, SD One X is light enough for one person to carry.

LIGHTWEIGHT AND AFFORDABLE

 **contex**®
WHEN IMAGING MATTERS

| | SD ONE X 24 | SD ONE X 36 | SD ONE X 44 |
|---|--|--|--|
| Optimized for | | Convenience (occasional use) | |
| Maximum scan width | 24 inches (610 mm) | 36 inches (914 mm) | 44 inches (1118 mm) |
| Maximum media width | 26.6 inches (676 mm) | 39.9 inches (1014 mm) | 47.2 inches (1200 mm) |
| SCAN SPEED¹ (INCH/SEC) At maximum scan width of scanner | | | |
| 200 dpi RGB color | | 4 ips | |
| 200 dpi grayscale/monochrome | | 8 ips | |
| OTHER SPECIFICATIONS | | | |
| Optical resolution | | 600 dpi | |
| Maximum resolution | | 9600 dpi ² (interpolated) | |
| CIS technology | | Contex CleanScan CIS with dual-sided LED lighting | |
| Total number of pixels | 32400 pixels | 54000 pixels | 64800 pixels |
| Contex CFR ³ | | Yes | |
| Maximum media thickness | | 0.03 inch/0.75 mm | |
| Accuracy | | 0.1% +/-1 pixel | |
| Data capture | | 48-bit color, 16-bit grayscale | |
| Data output | | Up to ² 48-bit color, 16-bit grayscale | |
| Color space | | Adobe RGB, Device RGB, sRGB | |
| Connectivity | | USB 3.0 with xDTR3 | |
| Operating system | | Windows 11 64-bit, Windows 10 64-bit, Windows Server 2025 Standard Edition | |
| Included software ⁴ | | Nextimage 7 trial (incl. TWAIN driver, excl. licence) | |
| Optional software ⁴ | | Nextimage Scan & Archive, Nextimage Repro | |
| File formats | | TIF, JPG, PDF, PDF/A, DWF, CALS, BMP, JPEG-2000(JP2), JPEG2000 Extended (JPX), TIF-G3, TIF-G4 and others | |
| Power consumption (Ready/Power save/Scanning) | | 5.5W / 0.5W / 14W (external power supply), ENERGY STAR [®] Certified | |
| Power supply | | 100 V / 230 V / 240 V, 60/50 Hz | |
| Weight and dimensions (LxWxH) | 20.9 lbs. (9.5 kg) 32.4x9.1x4.9 inches (823x230x124 mm) | 28.4 lbs. (12.9 kg) 45.7x9.1x4.9 inches (1162x230x124 mm) | 32.2 lbs. (14.6 kg) 53.1x9.1x4.9 inches (1348x230x124 mm) |
| Optional scanner stands | | Low stand, height: 31.2 inches (793 mm) High stand, height: 41.1 inches (1043 mm) | Low stand, height: 33.1 inches (841 mm) High stand, height: 48 inches (1220 mm) |
| CERTIFICATION AND WARRANTY | | | |
| Safety | | IEC 62368-1. Certificates: cUL (USA and Canada), CE (Europe), CCC (China), EAC (Russia, Kazakhstan, Belarus) | |
| Electro Magnetic Compatibility (EMC) | | Compliant with Class A requirements, including FCC rules (USA), ICES (Canada), EMC Directive (EU), CCC (China), VCCI (Japan), EAC (Russia, Kazakhstan, Belarus) | |
| Environmental | | ENERGY STAR [®] Certified, WEEE (EU), RoHS (EU) and REACH (EU) | |
| Country of Origin | | Designed and engineered in Denmark. Manufactured in China | |
| Warranty | | 2-year warranty and fast, easy parts replacement | |
| In the box | | Scanner (24", 36" or 44" model), 2 m USB cable, external power supply, TWAIN driver and installation software, and user guides in PDF on USB, installation guide, calibration poster, calibration sheet and cleaning cloth | |

1. Scanning speeds based on 24" wide document. Contex recommends Intel Core i5, AMD Ryzen 5 5500, or better 64-bit processors, 16 GB RAM and SSD SATA drive, min. USB 3.0 or Gigabit Ethernet.
2. Requires optional Nextimage 7 software
3. Color Fringe Removal (CFR) is an advanced Contex patented filtering technology designed to remove the fringes inherent in CIS strobing scanning devices
4. Contex applications create industry standard raster file formats which can be used in any CAD or GIS application

All trademarks remain the property of their respective holders, and are used only to directly describe the product being provided. Their use in no way indicates any relationship between Contex and the trademarks holders.

Scan, enhance, file and share with Contex SD One X large format scanner



Improve your originals
SD One X is a fully featured scanner. Pair it with Nextimage 7 for the complete scanning solution.



Flexible control panel
Scanner operation is easy with the intuitive SD One X control panel.

HP ready | Océ ready | EPSON ready | Canon ready

Contex solutions are compatible with all leading large-format printers. See the full list at contex.com/nextimage-supported-printers

